



PASSING DISPLAY & SAFETY INSPECTION

Intel ISEF Official Abstract & Certification Form

- Place Official Abstract on upper left panel of board or vertically on table or secured at edge
- Do Not use the title "Abstract" on the board.
- ARASE will provide one stamped copy of the Official Abstract
- Copies of the Official Abstract (unaltered) can be given to the judges

Science Project Report

- Report is needed for D&S Inspection and for judges

Projects Conducted at a Research Institution (If applicable)

- Form (1C) **MUST BE** displayed vertically on display board/on table or secured at table edge

Human Participants Projects (If applicable)

- Need Informed Consent Form (for each subject where it was required)
- Do not display forms. Have them available if needed.

Continuation Projects (If applicable)

- Form (7) **MUST BE** displayed vertically on display board/on table or secured at table edge

Other Forms Should be Available, but not Displayed

- Adult Sponsor Check-List, Form (1)
- Student Check-List Form (1A)
- Research Plan
- Approval Form (1B)
- Any additional applicable forms

Audio-Visual/Multi-Media (If using)

- Must be ready to show entire presentation to D&S for approval
- If you bring a laptop, **take it with you** when judging concludes

Photographs and/or Visual Depictions

- **Credit lines a MUST:** "Photos taken by...", "Image taken from..."
- Photos or visual depictions must have **captions**
- One credit line is sufficient if student/person took all photos
- Pictures from Internet, magazines, journals, etc. **are to be credited**
- Photos of the student researcher **do not need** to be covered
- Photos of Human Participants require a **Photo Consent Form** except for finalist. Should be available for D & S Inspection
- Photos not deemed offensive by SRC/D&S are allowed

Display & Safety Regulations

- Refer to Intel ISEF D&S Regulations of *ISEF Rules & Guidelines*
- Items not allowed will be removed by D&S
- www.societyforscience.org for Intel ISEF Rules & Guidelines

Display Maximum Dimensions

- 30 inches (76 cm) deep from front edge of table to back of display
- 48 inches (122 cm) wide from left to right panel
- 108 inches (274 cm) high from floor to top of project
- Tables provided will not exceed a height of 36 inches (91 cm)